



IJEAST

INTERNATIONAL JOURNAL
OF ENGINEERING APPLIED SCIENCE
AND TECHNOLOGY



VOLUME : 6 ISSUE : 7 Print / Issue Publication Date: 25-Feb-2022



ISSN : 2455-2143



DOI : 10.33564/IJEAST.2021.v06i07.036

Indexed In



WWW.IJEAST.COM

editor@ijeast.com



A STUDY ON DIFFERENT TYPES OF EDIBLE PACKAGING MATERIALS (PLANTS BASED)

Srijeeta Saha, Writtika Das, Poulami Banerjee, Deblina Sen

Department Of FT

Guru Nanak Institute Of Technology,

Kolkata, West Bengal, India

Mrs. Shairee Ganguly

Department Of FT

Guru Nanak Institute Of Technology,

Kolkata, West Bengal, India

Abstract— The food and pharmaceutical industries recognized edible packaging as a useful alternative or addition to conventional packaging to reduce waste and to create novel applications for improving product stability, quality, safety, variety and convenience for consumers. This study was done to compare the different types of edible packaging materials, their classifications and their applications. The aim of this study was to better understand the potential of fruits and vegetables to be used as components of edible packaging materials is discussed. Such application of fruits and vegetables is possible to the presence of matrix-forming polysaccharides and proteins in their composition. The development of edible fruit and vegetable packaging materials is a promising way of combining the barrier and mechanical properties of biopolymers with the nutritional and sensory properties. The application of fruits and vegetables as a component of edible packaging materials enables the utilization of raw materials with low commercial value. Edible packaging materials are a new method of their utilizing. There is also the possibility of just decreasing the amount of synthetic packaging waste by application of fruit and vegetable packaging materials simply as a passive or active layer partially replacing the non-renewable materials. The dynamic forces behind the keen chase includes scientific innovation in the functionality of new materials, increased demand for novel foods and increased consciousness for environmental protection and conservation. In this study we'll know about the different characteristics of edible packaging materials like light weight, low cost with significant strength, good oil and chemical resistance, moderation of elongation, good tensile strength, and act as good oxygen barriers, retard moisture loss, flexible and generally have no taste or flavor. Materials that have traditionally been used in food packaging include glass, metals (aluminum, foils and laminates, tinplate, and tin-free steel), paper and paperboards, and plastics. Moreover, a

wider variety of plastics have been introduced in both rigid and flexible forms.

Keywords— Edible packaging, polysaccharides, proteins, lipid, moisture barrier, gas barrier, composite films, permeability.

I. INTRODUCTION

In order to prolong the shelf life of food and ensure the quality of this food during transportation, food packaging has become increasingly important. Sustainable development is currently a priority guiding principle for politics, manufacturers, scientists and common citizens. Despite this, around 1.3 billion tons of food is wasted globally per year^[1] whence fruits and vegetables, along with roots and tubers, have the highest wastage rates of any food products- nearly half of all the fruit and vegetables produced are wasted.^[2] The edible films are generally made from proteins, lipids and polysaccharides that are used either alone or together.^[3,4] Edible packaging materials have their unique characteristics such as ability to protect foods with their barrier and mechanical properties and also enhance some other properties like sensory characteristics, control-release active ingredients and control mass transfer between components of heterogeneous foods. So edible packaging materials have been used as attractive alternatives for some applications. For non-edible packaging as an oxygen or grease-barrier layer to enhance protective functions and biodegradability of multilayer packaging, we can use edible packaging materials.^[5] Now-a-days, edible wrapping is used as a replacement or fortification of the natural layers at the outer surfaces of product, which can prevent gas aromas, moisture losses and solute movements out of the food.^[6] Moreover, the materials are used for either coating the food thoroughly or using as a continuous layer between the components of foods.^[7] Researchers are constantly searching for enhancement of the properties of various biodegradable materials types for replacing conventional materials with high environmental impact.^[8] Gradually, the



dependency on synthetic material in food packaging industry is decreasing.^[9]

By using primary edible packaging together with non-edible packaging as secondary packaging, the efficiency of food preservation can be improved to add additional protection from the atmosphere and to prevent contamination from any foreign particles. In this study, we have reviewed some properties, applications, advantages and disadvantages of few plant based edible packaging materials.

II. FUNCTIONS OF EDIBLE PACKAGING:

- Moisture and gas barrier
- Water vapor permeability,
- Oxygen permeability,
- Mechanical properties (tensile strength, percent elongation, elongation at break, elastic modulus and glass transition temperature),
- Chemical properties (solubility in water, alcohol and mixtures and hydrophilic – hydrophobic interaction),
- Organoleptic properties (color, taste, appearance and odor), physical properties (opacity and light transparency),
- Antimicrobial properties (minimum inhibitory concentrations, antimicrobial activity against target organisms for edible films containing natural antimicrobials).




Fig 1: TYPES OF MATERIALS USED IN EDIBLE PACKAGING

III. PROTEINS WHICH CAN BE USED FOR EDIBLE PACKAGING:

A. Soy protein isolate:

Film thickness: The values increased from $52.6 \pm 2.6 \mu\text{m}$ for the 6% SPI content to $83.6 \pm 5.3 \mu\text{m}$ for the 9% SPI. The

difference in thickness was significant ($p < 0.05$) between films made from the different concentration of SPI and the same concentration of GLY 50% (w/w).

Table 1: Composition of soy protein isolate-based film-forming suspensions before drying:

Table 1: Composition of soy protein isolate-based film-forming suspensions before drying:

Film	SPI (g)	SPI (%)	GLY (%)	GLY (%/SPI)	Water
6SPI 50GLY	6	67	3.0	50	91.0
7SPI 40GLY	7	71	2.8	40	90.2
7SPI 50GLY	7	67	3.5	50	89.5
7SPI 60GLY	7	63	4.2	60	88.8
7SPI 70GLY	7	59	4.9	70	88.1
8SPI 50GLY	8	67	4.0	50	88.0
9SPI 50GLY	9	67	4.5	50	86.5

db: dry basis.^[11]

Table 2: Effect of soy protein isolate (SPI) and glycerol (GLY) concentrations on the film thickness:

Film	Thickness (μm)
6SPI 50GLY	$52.6 \pm 2.6a$
7SPI 50GLY	$63.8 \pm 5.2b$
8SPI 50GLY	$77.6 \pm 4.6c$
9SPI 50GLY	$83.6 \pm 5.3d$
7SPI 40GLY	$61.2 \pm 4.1b$
7SPI 50GLY	$63.8 \pm 5.2b$
6SPI 60GLY	$64.0 \pm 5.9b$
7SPI 70GLY	$63.6 \pm 4.0b$

Mean $\pm$ standard deviation, $n=5$ ^[12]

Differential scanning calorimetry: The protein content affects the initial temperature of degradation when films contain 6, 7 and 8% of SPI. There is no significant difference between 8 and 9% of protein ($p < 0.05$).^[13]

Table 3: Different scanning calorimetry (DSC) measurement results of soy protein isolate-based films:

Film	$T_d (^{\circ}\text{C})^{ab}$	$T_{max} (^{\circ}\text{C})$	$H_f (\text{J g}^{-1})$
6SPI 50GLY	$63.9 \pm 1.5bc$	$69.2 \pm 3.3ac$	$0.34 \pm 0.15a$
7SPI 50GLY	$57.6 \pm 3.5a$	$64.9 \pm 0.8a$	$0.17 \pm 0.05a$
8SPI 50GLY	$71.1 \pm 0.2d$	$71.6 \pm 0.3bcd$	$0.15 \pm 0.07a$
9SPI 50GLY	$68.9 \pm 2.3cd$	$71.8 \pm 2.4bcd$	$0.18 \pm 0.14a$
7SPI 40GLY	$69.9 \pm 1.9cd$	$74.5 \pm 1.5bcd$	$0.32 \pm 0.24a$
7SPI 50GLY	$57.6 \pm 3.5a$	$64.9 \pm 0.8a$	$0.17 \pm 0.05a$

7SPI 60GLY	61.9±4.8ab	68.3±3.3ab	0.40±0.12a
7SPI 70GLY	69.7±0.1cd	75.3±2.8d	0.20±0.04a

T_d : initial temperature of degradation, T_{max} : temperature at maximum degradation rate, H_f = DELTA apparently enthalpy of fusion, $n=2$. Mean± standard deviation.^[14]

B. Corn zein:

- Biomedical applications.^[15]
- Drug delivery^[16]
- Substitution of synthetic polymer.^[17]




Fig 2: Corn Zein composite film^{[18][19][20]}

C. Peanut protein:

The properties of peanut protein films were modified using physical and chemical treatments, and their effects on color, mechanical strength, water solubility and barrier to water vapor and oxygen of the films were investigated. Physical treatments consisted of heat denaturation^[21] of film-forming solution for 30 min at 60°C, 70°C, 80°C and 90°C, ultraviolet irradiation of films for up to 24 h, and three ultrasound processes of film-forming solution. Chemical treatments consisted of addition of aldehydes and anhydrides.^{[22][23][24]}

D. Rice protein:

Rice protein hydrolysates (RPH) are incapable of film formation by self-cross linking due to low molecular mass. Hence, we used chitosan (CS) as a modifier and developed rice protein hydrolysates/chitosan (RPH/CS) edible composite films by means of ultrasound.^[25]

E. Pea protein:

- It contents as 5% to 10% and 20% for oil packaging.^[28]
- Microbiological preservation on bioplastics.^[29]
- Effect of the injection moulding processing conditions on the development of pea protein-based bioplastics.^[30]

F. Sorghum protein:

- Kafirin, the prolamin protein fraction of sorghum, is similar to zein in molecular weight.^[31]
- Used in encapsulation.^[32]
- Tend to have lower tensile strengths and elongation values than synthetic films, but these are generally sufficient to allow usage for wraps.^[33]

S l N o .	Prote ins	Applications	Advantage	Disadvantage
1	Gelat in	Packaging films can be successfully produced from all gelatin sources and the behavior and characteristics of gelatin-based films can be altered through the incorporation of other food ingredients to produce composite films possessing enhanced physical and mechanical properties. ^{[14][16]}	Excellent film-forming ability Gel-forming properties around 35°C Excellent versatility due to its α -amino acid composition, Abundance, Low cost ^{[17][18]}	Rheological properties Being less stable than the obtained from mammalian sources. ^{[25][26]}
2	Soy prote in isolat e	The thickness increased slightly when the SPI (soy protein isolate) amount was increased in the film-forming solution. ^{[29][26]}	Ability to reduce the risk of cardiovascular diseases in humans by decreasing serum cholesterol levels. Renewability Biocompatibility Biodegradability.	Water vapor permeability and mechanical properties as affected by plasticizers. Not easily digestible. Not helpful for the people having allergies (rash, itching & breathing) or intolerances
3	Corn zein	As Drug Carriers for Drug Delivery. As Enzymatic Hydrolysate Peptides for Reducing Blood Pressure. ^{[13][14]}	excellent film-forming ability good solubility in ethanol compatibility with many natural active agents. ^{[17][16]}	Not applicable for the people having corn allergy. ^{[22][23]}
4	Pean ut prote in	good emulsifying activity, emulsifying stability, foaming capacity, excellent water retention high solubility. ^{[23][24]}	An excellent plant-based source of protein, High in various vitamins, minerals, Plant compounds. They can be useful as a part of a weight loss diet	Itchy skin hives, which can appear as small spots or large welts on your skin itching or tingling sensations in or around your mouth or



			May reduce your risk of both heart disease and gallstones. [26][29]	throat runny or congested nose nausea. [19][20]
5	Rice protein	Rice protein hydrolysates (RPH) are incapable of film formation by self-cross linking due to low molecular mass. [11][12]	Enhance nutrition profile Functional added proteins Replacement of ingredients. [34][25]	Too much water soluble Can't hold up in humid climates. [33][34]
6	Pea protein	Microbiological preservation on bioplastics. [22][29]	Permeability to water vapor (WVP) Physical characteristics same as soy protein, zein protein. Low cost. [17][10]	Less iron absorption High in sodium Low in methionine+ cysteine, an incomplete protein [13][14]
7	Sorghum protein	Used in encapsulation. Tend to have lower tensile strengths and elongation values than synthetic films, but these are generally sufficient to allow usage for wraps. Used in encapsulation. [12][11]	Biodegradable, Doesn't require any recycling [34][35]	Breakdown easily Will not fill up landfills. [33][36]

			during transport and handling a wax coating may protect food stuff.	benzophenone in paraffin waxes used in food contact materials was possible, but no migration studies are obtained. [31]
2	Aloe vera	As edible films for ice-cream, drinks and beverages [34][36] [35]	It is observed that Aloe vera gel-based edible coatings can prevent loss of moisture and firmness, control maturation development and respiratory rate, retard oxidative browning and decrease microorganism proliferation in fruits such as table grapes [35], sweet cherries [36] and nectarines [37]	Over consuming causes stomach cramp, heart diseases, muscle weakness and kidney problem
3	Glycerol esters (Acetylated monoglycerides, Fatty acids, fatty alcohols, and sucrose fatty acid esters)	They can be used alone or in combination with other edible ingredients for coating food products.	The WVP of acetoacetyl glycerol improved as the degree of acetylation increased, which was hypothesized to be a consequence of differences in crystal packing or removal of free hydroxyl groups that would otherwise interact with migrating water.	Certain associated problems include an acidic, bitter aftertaste and the tendency of highly saturated acetylated glycerides to crack and flake during storage [38].

IV. LIPIDS WHICH CAN BE USED FOR EDIBLE PACKAGING:

Lipid coatings are used for reducing surface abrasion in case of handling fruits and vegetables [36]. Lipids do not have a greater number of repeating units. So, they cannot form a large macromolecule as well as self-supporting film structures like polysaccharides and proteins. There are some drawbacks of lipids which include waxy taste, texture, rancidity and greasy surface [37]. Lipid films are very sensitive to oxidation and brittle, opaque [38].

Sl no.	Lipids	Application	Advantage	Disadvantage
1	Waxes (Candelilla, Carnauba, Paraffin)	Used to coat food directly such as fruit and cheese [36][39]	Solid waxes can resist water vapor and gas transfer better than oily waxes. They are very common lipids which can extend the shelf-life of fruits and prevent the moisture loss [41]. Moreover,	Waxes and their other components may be transferred into food stuff, especially if they are in contact with food. A study showed that measuring

V. POLYSACCHARIDES WHICH CAN BE USED FOR EDIBLE PACKAGING:

Polysaccharides or polycarbohydrates, are the most abundant carbohydrate found in food. They are long chain polymeric carbohydrates composed of monosaccharide subunits bound together by glycosidic linkages. Examples of monosaccharides are glucose, fructose, and glyceraldehyde.

Name	Application	Advantages/ Disadvantages
------	-------------	---------------------------



Cellulose	Edible composite films, based on glycerol- plasticized sodium caseinate / carboxymethyl cellulose/ cellulose casting.[49] Pea starch one of the cellulose derivatives composites were prepared by a screw extruder.[50]	Helps to keep the food material fresh and maintain its quality & shelf-life.
Starch (Syzygiumaromaticum and Cinnamomum)	Starch-based peelable food coating film layers via mould dipping.[51] Zein, corn starch, and orange peel oil extracted from orange peels were used to prepare novel corn starch/ orange-peel oil/ zein ano capsules bio-active food packaging materials.[52] To produce and optimise spice fused tamarind seed starch edible films for meat packaging.[53]	High brittleness, lack of compatibility with hydrophobic polymers due to its highly hydrophilic nature, poor processing quality resulting from its high viscosity, low resistance to external factors during storage mainly moisture are its main disadvantages, However, advantage is that it is environment friendly and biodegradable.
Chitosan	Possibility of improving the shelf-life of fresh sea bass fillets by using vacuum packaging and wrapping with chitosan-based edible films during cold storage at 4°C. [54] The inhibitory activity of the chitosan-based edible coatings was observed and checked against 2 food pathogens and 1strain involved in food alteration on model agar medium and on a real cheese food product.[55] Coating with chitosan-based edible films for mechanical/ biological protection of strawberries.[56]	Biodegradable film with good thermal and chemical resistant properties and extends the shelf life.

Pectin	Through evaluation of sweet potato starch and lemon-waste pectin based edible films with nano-titania inclusions for food packaging application.[57]	Extends shelf-life & helps in thickness and density.
Alginate	Modified atmosphere packaging of fresh – cut papaya using alginate based edible coating: Quality evaluation and shelf-life study.[58]	Helps to improve the quality.
Carrageenans	Formation mechanism of egg white protein/k- Carrageenan composite film and its application to oil packaging.[59]	Some studies proved that it can cause inflammation, gastro problems and can even damage digestive system.
Pullulan	Pullulan is a suitable biopolymer for antimicrobial food packaging applications.[60] Reducing meat perishability through pullulan active packaging.	Good antimicrobial activity, and nano-silver particles help to improve the quality.
Gellan	Optimization of alginate and gellan-based edible coating formulations for fresh-cut pineapples.[61]	nontoxic, biocompatible, biodegradable and the resulting hydrogel is transparent and stable. However, gellan gum-based hydrogels have intrinsic defects such as lack of toughness and tissue tolerance as tissue engineering materials that restrict their use in biomedicine field.
Agar	Functional properties of edible agar-based and starch-based films for food quality preservation.[62]	Biodegradable and edible in nature.

VI. CONCLUSION-

Nowadays in the market edible food packaging is an inventive technology which will bring a new era in the food packaging industry. Food companies have been searching substitutes and development to their packaging design for eco-friendly packaging. Thus, the demand of edible packaging in the food industries is increasing day by day. They have certain important



properties like moisture and gas barrier, water vapor permeability, oxygen permeability, mechanical properties (tensile strength, percent elongation, elongation at break, elastic modulus and glass transition temperature), chemical properties (solubility in water, alcohol and mixtures and hydrophilic – hydrophobic interaction), organoleptic properties (colour, taste, appearance and odor), physical properties (opacity and light transparency), antimicrobial properties (minimum inhibitory concentrations, antimicrobial activity against target organisms for edible films containing natural antimicrobials). Food packaging industries may use edible packaging method not only for their profit but also adding values to the stakeholders and the community.

VII. REFERENCES:

- Food and Agriculture Organization of the United Nations. Global food losses and food waste–extent, causes and prevention. <http://www.fao.org/docrep/014/mb060e/mb060e00.pdf>. Published 2011. Accessed July 1, 2017.
- Food and Agriculture Organization of the United Nations. Global initiative on food loss and waste reduction. <http://www.fao.org/3/a-i4068e.pdf>. Published 2015. Accessed July 1, 2017.
- Nesic AR, Seslija SI. The influence of nanofillers on physical–chemical properties of polysaccharide-based film intended for food packaging. In: Alexandru Mihai Grumezescu, editor. Food Packaging. Elsevier, 125 London Wall, UK; 2017:637–697.
- Chiralt A, Gonzalez-Martinez C Vargas. Edible films and coatings from proteins. 2nd ed. In: Rickey Y Yada, editor. Proteins in Food Processing. Woodhead Publishing Series in Food Science, Technology and Nutrition. Elsevier Ltd; 2018:477–500.
- (Hong & Krochta 2003, 2004; Han & Krochta 2001, Chan & Krochta 2001a,b; Lin & Krochta 2003, Lee et al. 2008).
- (Embuscado & Huber, 2009)
- (Guilbert, 1995)
- Chen et al. 2004; Iwatake et al. 2008; Ma, Chang, and Yu 2008; Petersson et al. 2007; Ferreira et al. 2018; de Castro e Silva et al. 2020
- García et al. 2011
- (Al-Hassan, A. A., & Norziah, M. H. (2012)
- (Amigo-Benavent, M., Silván, J. M., Moreno, F. J., Villamiel, M., & Del Castillo, M. D. (2008). Protein quality, antigenicity, and antioxidant activity of soy-based foodstuffs. *Journal of Agricultural and Food Chemistry*, 56(15), 6498–6505. <https://doi.org/10.1021/jf800697n>.)
- (Bendini, A., Cerretani, L., Salvador, M. D., Fregapane, G., & Lercker, G. (2009). Stability of the sensory quality of virgin olive oil during storage: an overview. *Italian Journal of Food Science*, 21(4), 389– 406. Benzie, I. F. F., & Strain, J. J. (1996). The ferric reducing ability of plasma (FRAP) as a measure of “antioxidant power”: the FRAP assay. *Analytical Biochemistry*, 239(1), 70–76. <https://doi.org/10.1006/abio.1996.0292>.)
- (Bozan, B., & Temelli, F. (2008). Chemical composition and oxidative stability of flax, safflower and poppy seed and seed oils. *Bioresource Technology*, 99(14), 6354–6359. <https://doi.org/10.1016/j.biortech.2007.12.009>.)
- (Bessada, S. M. F., Barreira, J. C. M., Barros, L., Ferreira, I. C. F. R., & Oliveira, M. B. P. P. (2016). Phenolic profile and antioxidant activity of *Coleostephus myconis* (L.) Rchb.f.: an underexploited and highly disseminated species. *Industrial Crops and Products*, 89, 45–51. <https://doi.org/10.1016/j.indcrop.2016.04.065>.)
- (Ali, S. S., Kasoju, N., Luthra, A., Singh, A., Sharanabasava, H., Sahu, A., et al. (2008). Indian medicinal herbs as sources of antioxidants. *Food Research International*, 41(1), 1–15.)
- Anastasiadi, M., Chorianopoulos, N. G., Nychas, G. -J. E., & Haroutounian, S. A. (2009). (Antilisterial activities of polyphenol-rich extracts of grapes and vinification byproducts. *Journal of Agricultural and Food Chemistry*, 57(2), 457–463.)
- (Postharvest Biology and Technology, 28(2), 259–268. Bonilla, F., Mayen, M., Merida, J., & Medina, M. (1999). Extraction of phenolic compounds from red grape marc for use as food lipid antioxidants. *Food Chemistry*, 66(2), 209–215)
- Anastasiadi, M., Pratsinis, H., Kletsas, D., Skaltsounis, A. -L., & Haroutounian, S. A. (2010). Bioactive non-coloured polyphenols content of grapes, wines and vinification byproducts: Evaluation of the antioxidant activities of their extracts. *Food Research International*, 43(3), 805–813. ASTM (2002). Standard test method for tensile properties of thin plastic sheeting D882-02.)
- (Chen H. Functional Properties and Applications of Edible Films Made of Milk Proteins. *J Dairy Sci*. 1995;78(11):2563–2583.)
- (Krochta JM, Pavlath AE, Goodman N. Edible films from casein-lipid emulsion for lightly processed fruits and vegetables. In: WEL Spiess, H Schubert, editors. Engineering and Food, Preservation processes and related techniques. Elsevier Applied Sci Pub Co, London, 1990;2:329–340.)
- (Arvanitoyannis, I., Nakayama, A. and Aiba, S. 1998. Edible films made from hydroxypropyl starch and gelatin



- and plasticized by polyols and water. Carbohydrate Polymers 36: 105-119.)
22. (Arvanitoyannis, I., Psomiadou, E., Nakayama, A., Aiba, S. and Yamamoto, N. 1997. Edible films made from gelatin, soluble starch and polyols, Part 3. Food Chemistry 60: 593-604.)
 23. (Avena-Bustillos, R. J. and Krochta, J. M. 1993. Water vapor permeability of caseinate-based edible films as affected by pH, calcium crossing and lipid content. Journal of Food Science 58: 904-907. Baker, R. A., Baldwin, E. A., and Nisperos-Carriedo, M. O. 1994. Edible coatings and films for processed foods. In Krochta, J.M., Balwin, E. A. and Niperos-Carriedo M.O. (Eds.).
 24. (Edible Coatings and Films to Improve Food Quality, p. 89-104. Lancaster, Basel: Technomic Publishing. Banker, G. S., Gore, A. Y. and Swarbrick, J. 2000. Water vapor transmission properties of free polymer films. Journal of Pharmacy and Pharmacology 18: 173- 176.)
 25. (CHEN, W. P, and CHANG, Y. C. 1984. Production of high-fructose rice syrup and high-protein rice flour from broken rice. J. Sci. Food Agric. 35:1128.)
 26. (FYFE, J. A. M., and GOVAN, J. R. W. 1982. Synthesis, regulation, and biological function of bacterial alginate. Pages 45-83 in: Progress in Industrial Microbiology. Vol. 18, Microbial Polysaccharides.)
 27. (M. E. Bushell, ed. Elsevier: New York. GUILBERT, S. 1986. Technology and application of edible protective films. Page 371 in: Food Packaging and Preservation. Theory and Practice. M. Mathlouthi, ed. Elsevier Applied Science: London.)
 28. (Angellier, H., L. Choinsard, S. Molina-Boisseau, P. Ozil and A. Dufresne. 2004. Optimization of the preparation of aqueous suspensions of Waxy Maize starch nanocrystals using a response surface methodology. Biomacromolecules. 5: 1545-51.)
 29. (Angellier, H., S. Molina-Boisseau, P. Dole and A. Dufresne. 2006. Thermoplastic Starch-Waxy maize starch nanocrystals nanocomposites. Biomacromolecules. 7: 531-39. Angellier, H., S. Molina-Boisseau, L. Lebrun and A. Dufresne. 2005. Processing and structural properties of Waxy Maize starch nanocrystals reinforced natural rubber. Macromolecules. 38: 3783-92. Anker, M., J. Berntsen, A. M. Hermansson and M. Stading. 2002.)
 30. (Improved water vapor barrier of whey protein films by addition of an acetylated monoglyceride. Innovative Food Sci. Emerg. Technol. 3: 81-92. ASTM. 1999a. Standard Test Method for Transition Temperatures of Polymers by Differential Scanning Calorimetry. Philadelphia, United States of America.)
 31. (American Association of Cereal Chemists. 1995. Approved Methods of the AACC, 9th ed. The Association: St. Paul, MN. AOAC. 1984. Official Methods of Analysis of the Association of Official Analytical Chemists, 14th ed. The Association: Washington, DC. ASTM. 1989.)
 32. (Annual Book of American Society for Testing and Materials Standards. Standard methods for tensile properties of thin plastic sheeting D 882-88. Standard test methods for water vapor transmission of materials E 96-80. The Society: Philadelphia, PA. Aydt, T. P., Weller, C. L., and Testin, R. F. 1991. Mechanical and barrier properties of edible corn and wheat protein films.)
 33. (Trans. ASAE 34:207-211. Buffo, R. A. 1995. Optimization of sorghum kernel components separation and kafirin utilization. MS thesis. University of Nebraska, Lincoln)
 34. (Park, J. W., Testin, R. F., Vergano, P. J., Park, H. J., and Weller, C. L. 1996. Fatty acid distribution and its effect on oxygen permeability in laminated edible films. J. Food Sci. 61:401-406)
 35. *Neda Maftoonazad and Fojan Badii, Useof Edible Films and Coatings to Extend the Shelf Life of Food Products, Recent Patents on Food, Nutrition & Agriculture, 2009, 1, 162-170*
 36. *Olivia Lopez, Maria A Garcia and Noemi E Zaritzky, Novel sources of edible films and coatings, Stewart Postharvest Review, 3:3 (2010), 1-8*
 37. *Y. Zahedi, B. Ghanbarzadeh, N. Sedaghat, Physical properties of edible emulsified films based on pistachio globulin protein and fatty acids, Journal of Food Engineering 100 (2010) 102–108.*
 38. *Parisi, S., Food packaging and food alterations: the user-oriented approach. Shawbury: Smithers Rapra. 392*
 39. *Appendini, P. and J.H. Hotchkiss, Review of antimicrobial food packaging. Innovative Food Science & Emerging Technologies, 2002. 3(2):113-126*
 40. *Wan-Shin Jo, Hye-Yeon Song, Nak-Bum Song, Ji-Hyun Lee, Sea C. Min, Kyung Bin Song, Quality and microbial safety of 'Fuji' apples coated with carnauba shellac wax containing lemongrass oil, LWT - Food Science and Technology 55 (2014) 490- 497*
 41. *Varner, S.L., H.C. Hollifield, and D. Andrzejewski, Determination of benzene in polypropylene food-packaging materials and food-contact paraffin waxes. Journal – Association of Official Analytical Chemists, 1991. 74(2):367-374*



42. Sadegh Khoshgozaran-Abras, Mohammad Hossein Azizi, Zohreh Hamidy, Niloofar Bagheripoor-Fallah, Mechanical, physicochemical and color properties of chitosan based-films as a function of Aloe vera gel incorporation, *Carbohydrate Polymers* 87 (2012) 2058–2062.
43. Khyyen T.H. Dang, Zora Singh, and Ewald E. Swinny, *Edible Coatings Influence Fruit Ripening, Quality, and Aroma Biosynthesis in Mango Fruit, J. Agric. Food Chem.* 2008, 56, 1361–1370
44. Juan Miguel Valverde, Daniel Valero, Domingo Marit Anez-Romero, FabiaN Guillen, Salvador Castillo and Maria Serrano, *Novel Edible Coating Based on Aloe vera Gel To Maintain Table Grape Quality and Safety, J. Agric. Food Chem.* 2005, 53, 7807–7813
45. Castillo, S., Navarro, D., Zapata, P.J., Guillen, F., Valero, M., Serrano, D. and Martinez-Romero, “Antifungal efficacy of Aloe vera in vitro and its use as a postharvest treatment to maintain postharvest table grape quality”, *Postharvest Biology and Technology*, 57 (3). 183-188. 2010
46. Martinez-Romero, D, Albuquerque, N., Valverde, J., Guillen, F., Castillo, S., Valero, D. & Serrano, M., “Postharvest sweet cherry quality and safety maintenance by Aloe vera treatment: A new edible coating”, *Postharvest Biology and Technology*, 39 (1). 93-100.2006
47. Ahmed, M. J., Singh, Z., & Khan, A.S., “Postharvest Aloe vera gel-coating modulates fruit ripening and quality of ‘Arctic Snow’ nectarine kept in ambient and cold storage”, *International Journal of Food Science and Technology*, 44 (5). 1024-1033. 2009
48. Bourlieu et al. 2008
49. Mariana Pereda, Guillermina Amica, Ilona Rácz, Norma E Marcovich *Carbohydrate Polymers* 86 (2), 1014-1021, 2011
50. Thitarat Phinainitisatra, Nathdanai Harnkarnsujarit *International Journal of Food Science & Technology* 56 (1), 321-329, 2021
51. Yue Wang, Rong Zhang, Saeed Ahmed, Wen Qin, Yaowen Liu *Antioxidants* 8 (9), 391, 2019
52. KR Rakhavan, K Sudharsan, S Babuskin, M Sukumar *LWT-Food Science and Technology* 68, 642-652, 2016
53. Ali Günlü, Ebru Koyun *Food and Bioprocess Technology* 6 (7), 1713-1719, 2013
54. V Coma, A Deschamps, A Martial-Gros *Journal of food science* 68 (9), 2788-2792, 2003
55. Adriana Pavinatto, Alexia Victoria de Almeida Mattos, Ana Cláudia Granato Malpass, Mônica Hitomi Okura, Débora Teresia Balogh, Rafaela Cristina Sanfelice *International journal of biological macromolecules* 151, 1004-1011, 2020
56. Kshirod K Dash, N Afzal Ali, Dipannita Das, D Mohanta *International journal of biological macromolecules* 139, 449-458, 2019
57. Nazia Tabassum, Mohammad Ali Khan *Scientia Horticulturae* 259, 108853, 2020
58. Xiang Huang, Xin Luo, Lan Liu, Kai Dong, Ran Yang, Chao Lin, Hongbo Song, Shugang Li, Qun Huang *Food Hydrocolloids* 105, 105780, 2020
59. V Trinetta, CN Cutter *Antimicrobial food packaging*, 385-397, 2016
60. Muhammad Jamshed Khan, Suriya Kumari, Jinap Selamat, Kamyar Shameli, Awis Qurni Sazili *Journal of Food Quality* 2020, 2020
61. N Azarakhsh, A Osman, HM Ghazali, CP Tan, N Mohd Adzahan *International Food Research Journal* 19 (1), 2012
62. The D Phan, F Debeaufort, D Luu, A Voilley *Journal of Agricultural and Food Chemistry* 53 (4), 973-981, 2005

IJEAST

INTERNATIONAL JOURNAL
OF ENGINEERING APPLIED SCIENCE
AND TECHNOLOGY

ABOUT IJEAST

International Journal of Engineering Applied Science and Technology (IJEAST) is a peer-reviewed, open access journal that publishes high-quality research papers in the field of Engineering, Applied Science and Technology.

IJEAST aims to provide a platform for researchers, academicians, and professionals to share their innovative ideas, research findings, and practical experiences with the global scientific community.

FOCUS AREAS

- Engineering
- Applied Science
- Technology
- Innovation & Development
- Interdisciplinary Studies



PEER REVIEWED

All submissions are rigorously peer reviewed to ensure quality.



OPEN ACCESS

Free and unrestricted access to research for all.



GLOBAL REACH

Connecting researchers and professionals worldwide.



TIMELY PUBLICATION

We ensure a swift and efficient publication process.



For more information, visit our website

www.ijeast.com



INTERNATIONAL JOURNAL
OF ENGINEERING APPLIED SCIENCE
AND TECHNOLOGY

✉ editor@ijeast.com

🌐 www.ijeast.com

📍 India



2455-2143