



IJEAST

INTERNATIONAL JOURNAL
OF ENGINEERING APPLIED SCIENCE
AND TECHNOLOGY



VOLUME : 4 ISSUE : 12 Print / Issue Publication Date: 10-Jun-2020



ISSN : 2455-2143



DOI : 10.33564/IJEAST.2020.v04i12.101

Indexed In



WWW.IJEAST.COM

editor@ijeast.com



tokenization is over we move to the next step of preprocessing.

```
tokenized_tweet = combi['tidy_tweet'].apply(lambda x: x.split())
tokenized_tweet.head()
```

```
0      [when, father, dysfunctional, selfish, drags, kids,
1      [thanks, #lyft, credit, cause, they, offer, wheelchair, vans, #d
2
3      [#model,
4      [factsguid
Name: tidy_tweet, dtype: object
```

3. Removal of non-English words

Twitter generally supports more than 60 languages. But our project mainly involves English tweets; hence we remove the non-English words.

id	label	tweet
0	1	@user when a father is dysfunctional and is so selfish he drags his kids into his dysfunction. #run
1	2	@user @user thanks for #lyft credit i can't use cause they don't offer wheelchair vans in pdx. #disappointed #getthankd
2	3	bihday your majesty
3	4	#model i love u take with u all the time in urð±!!! ð±!!!, ð±!!!
4	5	factsguide: society now #motivation

4. Emoticon replacements Emoticons are very important in determining the sentiment. So the emoticons are replaced by their polarity by seeing the emoticon dictionary.

```
0      [when, father, dysfunct, selfish, drag, kid,
1      [thank, #lyft, credit, caus, they, offer, wheelchair, van,
2
3      [#model,
4      [facts
Name: tidy_tweet, dtype: object
```

2.3 FEATURE EXTRACTIONS

election of useful words from the tweet is called as feature extraction. In the feature extraction method, we extract the aspects from the pre-processed twitter dataset.

1. There are three different types of features namely unigram, bigram, n-gram features.
2. Parts Of Speech Tags such as like adjectives, adverbs, verbs and nouns are good indicators of subjectivity and sentiment.
3. Negation is another important but difficult feature to interpret. The presence of a negation usually changes the polarity of the sentiment.

2.4 FEATURE SELECTION

Correct feature selection techniques are used in sentiment analysis that has got a significant role for identifying relevant attributes and increasing classification (machine learning) accuracy. They are categorized into 4 main types namely, 1. Natural language processing 2. Statistical

2.5 ADVANTAGES OF NEURAL NETWORKS

The main advantage is that they are data driven self-adaptive methods where, they can adjust themselves to the data without any explicit specifications of functional or distributional form. They can approximate any function with arbitrary accuracy since they are universal functional approximates.

III. EXECUTION AND RESULT

Step 1: Open the source code in the Pycharm platform

```
1 import numpy as np
2 import pandas as pd
3 import os
4 print(os.listdir("../input"))
5 train = pd.read_csv("../input/train_E6oV31V.csv")
6 test = pd.read_csv("../input/test_tweets_8nuFYb8")
7 train.head()
8 test.head()
9 train['label'] = train['label'].astype('category')
10 train.info()
11 from nltk.stem import WordNetLemmatizer
12 from nltk import tokenize
13 from sklearn.feature_extraction.text import TfidfVectorizer
14 import re
15 train['text_lem'] = [' '.join([WordNetLemmatizer().lemmatize(w) for w in tokenize(text)]) for text in train['text']]
16 test['text_lem'] = [' '.join([WordNetLemmatizer().lemmatize(w) for w in tokenize(text)]) for text in test['text']]
17 model_selection import train_test_split
18 X_train,X_test,y_train,y_test = train_test_split(train['text_lem'], train['label'],
```

Step 2:Tokenization

```
Tweet Tokenization
0      [when, father, dysfunctional, selfish, drags, '...
1      [thanks, #lyft, credit, can't, cause, they, do...
2      [bihday, your, majesty]
3      [#model, love, take, with, time, urð±!!!, ð±!!!, ð±!!!
```

Step 3: Run Code

A. Understanding the common words used in the tweets

Now I want to see how well the given sentiments are distributed across the train dataset. One way to accomplish this task is by understanding the common words by plotting wordclouds.

A wordcloud is a visualization wherein the most frequent words appear in large size and the less frequent words appear in smaller sizes.

Lets visualize all the words our data using the wordcloud plot.



We can see most of the words are positive or neutral. With happy and love being the most frequent ones. It doesn't give us any idea about the words associated with the racist/sexist tweets. Hence, we will plot separate wordclouds for both the classes (racist/sexist or not) in our train data.

B. Words in non racist/sexist tweets




We can see most of the words are positive or neutral. With happy, smile, and love being the most frequent ones. Hence, most of the frequent words are compatible with the sentiment which is non racist/sexists tweets. Similarly, we will plot the word cloud for the other sentiment. Expect to see negative, racist, and sexist terms.

C. Racist/Sexist Tweets




As we can clearly see, most of the words have negative connotations. So, it seems we have a pretty good text data to work on. Next we will the hashtags/trends in our twitter data.

D. Non-Racist/Sexist Tweets



All these hashtags are positive and it makes sense. I am expecting negative terms in the plot of the second list. Let's check the most frequent hashtags appearing in the racist/sexist tweets.

E. Racist/Sexist Tweets



As expected, most of the terms are negative with a few neutral terms as well. So, it's not a bad idea to keep these hashtags in our data as they contain useful information. Next, we will try to extract features from the tokenized tweets.

IV. CONCLUSION

In this paper, the aim was to detect hate speech using a Natural Language Processing technique. To enable successful execution of the research it was first necessary to understand what hate speech is. To accomplish this, an overview of this topic has been conducted. Here it can be



concluded that hate speech has several definitions, all coming from different platforms. Hate speech detection is a classification-related task, and that's why further literature was reviewed to understand the idea behind Natural Language Processing and the application of various techniques. Previous work showed that deep learning models improve the state-of-art approaches within hate speech classification tasks. Therefore, a deep learning method, namely a Convolutional Neural Network (CNN), has been applied on a Twitter dataset. This data contains tweets annotated with three labels: hate, offensive language and neither.

V. REFERENCE

- 1) M. Ott, Y. Choi, "Finding deceptive opinion spam by any stretch of the imagination; Proceedings of the Annual Meeting of the Association for Computational Linguistics: Human Language Technologies-Volume; pp. 309–319, 2011;
- 2) C. Cardie, J.T. Hancock Negative Deceptive Opinion Spam; Proceedings of the HLT-NAACL; pp. 497–501, 2013.
- 3) C.H. Yu, M.W. Ward, M. Morabito, W. Ding, Crime forecasting using data mining techniques; Proceedings of the International Conference on Data Mining, ICDM'11; Vancouver, BC, CanadaCanada, pp. 779–789, 2011;
- 4) A. Bermingham, A. Smeaton, On using Twitter to monitor political sentiment and predict election results; Proceedings of the Workshop on Sentiment Analysis Where AI meets Psychology (SAAIP 2011); Chiang Mai, Thailand, pp. 2–10, 2011;
- 5) X. Wang, D. W. Brown, M. S. Gerber, Spatio-temporal modeling of criminal incidents using geographic, demographic, and Twitter-derived information; Proceedings of the 2012 IEEE International Conference on Intelligence and Security Informatics (ISI); Arlington, pp. 36–41, 2012;
- 6) J. Bollen, H. Mao, X. Zeng, Twitter mood predicts the stock market. J. Comput, pp. 1–8, 2011;
- 7) P.T. Metaxas, E. Mustafaraj, D. Gayo-AvelloGayo-Avello, How (not) to predict elections; Proceedings of the 2011 IEEE Third International Conference on Privacy, Security, Risk and Trust and 2011 IEEE Third International Conference on Social Computing; Boston, pp. 165–171, 2011;
- 8) M. Ott, C. Cardie, J. K. Hancock, Negative Deceptive Opinion Spam; Proceedings of the HLT-NAACL, pp. 497–501, 2013;
- 9) A.K. Uysal, S. Gunal, A novel probabilistic feature selection method for text classification. Knowl.-Based Syst, pp. 226–235, 2012;
- 10) D.M.W. Powers, Evaluation: From precision, recall and f-measure to roc., informedness, markedness & correlation, pp. 37–63, 2011;
- 11) M.L. McHugh, Interrater reliability: The kappa statistic. Biochem. Med. Biochem. Med. 22:276–282. doi: 10.11613/BM.2012.031, 2012;
- 12) J. Heidemann, M. Klier, F. Probst, Online social networks: A survey of a global phenomenon.doi: 10.1016/j.comnet.2012
- 13) D. Choudhury, A. Paul, Community detection in social networks: An Over, pp. 6–13, 2013;

VI. ACKNOWLEDGMENT

It gives us an immense pleasure to express deep sense of gratitude to our guide Mrs. Kopparthi Harika, Department of Computer Science & Engineering because of his whole hearted and invaluable guidance throughout the report. Without his sustained and sincere effort, this report would not have taken this shape. She encouraged and helped us to overcome various difficulties that we have faced at various stages of our report.
 We would like to sincerely thank Dr. M. Radhika Mani, Professor & HOD, Computer Science & Engineering, for providing all the necessary facilities that led to the successful completion of our report.
 We would like to take this opportunity to thank our beloved Principal and Vice Principal Dr. S. Sambhu Prasad, Dr. K. Satyanarayana for providing a great support to us in completing our project and for giving us the opportunity of doing the mini project report.

IJEAST

INTERNATIONAL JOURNAL
OF ENGINEERING APPLIED SCIENCE
AND TECHNOLOGY

ABOUT IJEAST

International Journal of Engineering Applied Science and Technology (IJEAST) is a peer-reviewed, open access journal that publishes high-quality research papers in the field of Engineering, Applied Science and Technology.

IJEAST aims to provide a platform for researchers, academicians, and professionals to share their innovative ideas, research findings, and practical experiences with the global scientific community.

FOCUS AREAS

- Engineering
- Applied Science
- Technology
- Innovation & Development
- Interdisciplinary Studies



PEER REVIEWED

All submissions are rigorously peer reviewed to ensure quality.



OPEN ACCESS

Free and unrestricted access to research for all.



GLOBAL REACH

Connecting researchers and professionals worldwide.



TIMELY PUBLICATION

We ensure a swift and efficient publication process.



For more information, visit our website

www.ijeast.com



INTERNATIONAL JOURNAL
OF ENGINEERING APPLIED SCIENCE
AND TECHNOLOGY

✉ editor@ijeast.com

🌐 www.ijeast.com

📍 India



2455-2143