



IJEAST

INTERNATIONAL JOURNAL
OF ENGINEERING APPLIED SCIENCE
AND TECHNOLOGY



VOLUME : 5 ISSUE : 4 Print / Issue Publication Date: 15-Oct-2020



ISSN : 2455-2143



DOI : 10.33564/IJEAST.2020.v05i04.013

Indexed In



WWW.IJEAST.COM

editor@ijeast.com



PATH FINDING BASED ON ARTIFICIAL INTELLIGENCE TECHNIQUES: A REVIEW

Dr. Eyad I. Abbas
 Department of Electrical Eng.
 University of Technology
 Baghdad, Iraq

Dr. Sundus D. Hasan
 Department of Electrical Eng.
 University of Technology
 Baghdad, Iraq

Rawaa Jawad
 Department of Electrical Eng.
 University of Technology
 Baghdad, Iraq

Abstract - Path finding reduce the wear and capital investment of mobile robot. Several methodologies have been proposed and reported in the literature for the path planning of mobile robot. Although these methodologies do not guarantee an optimal solution, they have been successfully applied in their works. The purpose of this paper is to review the modeling, optimization criteria and solution algorithms for the path planning of mobile robot. The survey shows GA (genetic algorithm), PSO (particle swarm optimization), Neuro - fuzzy, fuzzy, ACO, from this review of this study finding a researcher used ANFIS, Fuzzy major used for path finding for mobile robot.

Keywords: path finding, artificial intelligent systems

I. INTRODUCTION

Over the past decades, mobile robots have been successfully applied in different areas such as military, industry and security environments to execute crucial unmanned missions [1]. Path planning [2] is one of the most fundamental problems that have to be resolved

before the mobile robots can navigate and explore autonomously in complex environments. Beginning with mid-1960s, the path planning has attracted interests from a lot of scholars. The path planning problem can be described in the following [3]: given a robot and its working environment, the mobile robots searches for an optimal or suboptimal path from the initial state to the target state according to a certain performance criteria. good path finding technology of mobile robot can not only save a lot of time, but also reduce the wear and capital investment of mobile robot. Because the path finding of mobile robot has important application value, it has become a hot research topic both at home and abroad. Generally speaking, the path finding can be divided into two categories: the global path finding and the local path finding shown in Figure (1), according to whether all the information of the environment is accessible or not. For the global path planning, all the information of the environment is known to the robot before starting. In contrast, for the local path planning, almost all the information of the environment is unknown to the robot before starting [4].




Figure (1): classification of path finding



Several soft computing techniques used of path finding for mobile robot. In the past few years, many soft computing techniques are proposed by the researchers to solve the robot navigation and obstacle avoidance problem in the various environments. The various soft computing techniques applied for mobile robot navigation in the different static and dynamic environments

II. ARTIFICIAL INTELLIGENCE TECHNIQUES

Artificial Intelligence (AI) has seen tremendous progress in recent years. It is a thriving research area with an increasing number of important research and basic technology areas for an increasing number of application areas. In addition to algorithmic innovations. Artificial intelligence is being utilized to enhance sciences and technologies due to its amazing capability of dealing with big data, complexity, high accuracy, and speedy processing. Artificial Neural Network (ANN), Fuzzy Logic, Neuro-Fuzzy Interference System (ANFIS), Genetic algorithm, Particle Swarm Optimization (PSO), etc., are the familiar tools of AI, AI has been employed in various areas such as engineering, science, medicine, computing, finance, economics and so on

A. Fuzzy Logic Technique

The concept of fuzzy logic has been introduced by Zadeh, [5] which is extensively used in many engineering applications such as mobile robotics, image processing, etc. This method plays a vital role in the field of mobile robots. The fuzzy logic technique has been successfully applied by many researchers to control the position and orientation of mobile robot in the environment. Ren et al. [6] have designed an intelligent fuzzy logic controller to solve the navigation problem of wheeled mobile robot in an unknown and changing environment. Fuzzy logic systems are inspired by human reasoning, which works based on perception. In Yousfi, [7] the authors have presented the Gradient method based optimal Takagi-Sugeno fuzzy controller to tune the membership function parameters, and applied it to mobile robot navigation and obstacle avoidance. Qing-yong et al. [8] have presented the behavior-based fuzzy architecture for mobile robot navigation in unknown environments. They have designed four basic behaviors: goal-seeking behavior, obstacle avoidance behavior, tracking behavior, etc. for mobile robot navigation and tested it in various simulation environments. The eight rule-based fuzzy controllers have

been designed by Boubertakh et al. [9] for obstacle avoidance and goal-seeking behavior of the mobile robot. Muthu et al. [10] have presented the Atmega microcontroller based fuzzy logic controller for the wheeled mobile robot. The proposed controller train the mobile robot to navigate in an environment without any human intervention. The controller receives inputs (obstacle distance) from the group of sensors to control the right and left motor of the mobile robot. The sensor-based mobile robot navigation in an indoor environment using a fuzzy logic controller has been discussed. [11] [12] Wu et al. [13] have developed the sensor based mobile robot navigation in the narrow environment using fuzzy controller and genetic algorithm. Where the fuzzy controller provides the initial membership function and the genetic algorithm choose the best membership value to optimize the fuzzy controller for mobile robot navigation. Obstacle avoidance is very important for successful navigation of autonomous mobile robot. Samsudin et al. [14] have combined the reinforcement learning method and genetic algorithm to optimize the fuzzy controller for improving their performance when the mobile robot moves in an unknown environment. Fuzzy reinforcement learning sensor-based mobile robot navigation has been presented by Beom & Cho [15] for complex environments. Pradhan et al. [16] have used fuzzy logic controller with different membership functions for the navigation of one thousand robots in an entirely unknown environment. The authors have compared the performance of different membership functions such as triangular, trapezoidal and gaussian for mobile robot navigation and stated that the gaussian membership function is more efficient for navigation. In Liu, [17] the authors have combined the fuzzy genetic algorithm to solve the path planning and control problem of an autonomous mobile robot (AMR) using ultrasonic range finder sensor information. Farooq et al. [18] have presented the comparative study between the zero order Takagi-Sugeno and Mamdani - type fuzzy logic models for mobile robot navigation and obstacle avoidance. Both the controllers receive inputs (obstacle distance) from the left and right ultrasonic sensors to control the left and right velocities of the motors of the mobile robot. During comparison study, the authors have found that in terms of smoothness Mamdani-type fuzzy model gives a better result. On the other hand, the Takagi-Sugeno fuzzy model takes less memory space in the real-time microcontroller implementation. Figure (2) show inputs and output fuzzy logic




Figure (2) Inputs and output fuzzy logic

B. Artificial Neural Network Technique

The neural network is one of the important technique for the mobile robot navigation. This neural network technique is motivated from the human brain, which is being applied by many researchers in the different fields such as signal and image processing, pattern recognition, mobile robot path planning, and business, etc. Zou et al.[19] have presented the literature survey of neural networks and its applications in mobile robotics. In Xiao,[20] the authors have combined the multi-layer feed forward artificial neural network with Q-reinforcement learning method to construct a robust path-planning algorithm for the mobile robot. Rai & Rai [21] have designed the Arduino Uno microcontroller-based DC motor speed control system using the Multilayer neural network controller and Proportional Integral Derivative (PID) controller. Patino & Carelli [22] have designed the automatic steering controller for a mobile vehicle using neural network architecture. Yang & Meng [23] have applied the biologically inspired neural network to generate a collision-free path in a nonstationary environment. Biologically inspired neural network based wall-following mobile robot has been presented by Nichols et al.[24] Online path planning between unknown obstacles in the environment is an interesting problem in the field of mobile robotics. Motlagh et al.[25] have presented the target seeking, and obstacle avoidance behaviours using neural networks and reinforcement learning. Mobile robot navigation using hybrid neural network has been addressed by Gavrilov & Lee.[26] Singh & Parhi [27] have designed multilayer feed forward neural network, which controls the steering angle of the robot autonomously in the static and dynamic environments. The different obstacle distances are the inputs of the four-layered neural network, and the steering angle is the output. Real-time collision-free path planning becomes more difficult when the robot is moving in a dynamic and unstructured environment.

C. Genetic Algorithm (GA)

From 1975 [28, 29] genetic algorithm has been used for solving the problem of optimal routing for robots. Genetic algorithm is a technique inspired from nature and works based on principle of sustainability of the strongest chromosomes. Using genetic algorithm plays a successful role in robot path planning research. For example, [30] has the suggested usage of genetic algorithm for robot path planning, based on empty nodes map. [31] and [32] presented usage of encryption of different methods to ensure finding the optimal path by the genetic algorithm, regardless of the actual and practical nodes. [33] improved the algorithm efficiency with changing operators in genetic algorithm at certain intervals in order to globally search in dynamic environment. It can be concluded that implementation of genetic algorithm depends on the chromosome coding solutions, accuracy of fitness function and different algorithm's operators, to determine the whole routing process

D. Adaptive Neuro-Fuzzy (ANFIS)

A hybrid Fuzzy-Neuro algorithm for wheeled robot motion planning was given by Kundu, et al. [34]. Pradhan, et al. [35] have reviewed about the navigation of multiple wheeled robots by implementing Neuro-Fuzzy code. Total path length and total time taken has been considered to collate with the predefined method with a rule-based algorithm. Hui, et al. [36] have developed a wheeled robot with the help of Neuro-Fuzzy algorithm is like a car. Algabri, et al. [37] have concluded that regarding distance travelled the mutation of PSO and Fuzzy and mutation of Neuro and Fuzzy methods show better performance in comparison to other methods Li, [38] has performed simulation and found that navigation in difficult and unknown working space can be efficiently upgraded. He enforced the neuro-fuzzy technique to obtain

the behavior-based control for the robot navigation in non-defined working space. He used two levels, one of them was the high level of environment understanding and the second one was for behavior control. ANFIS is the mutation of Fuzzy logic and neural network. Hegazy, et al. [39] have made it possible for a wheeled robot to arrive the goal in an unknown working space by using the neuro-fuzzy technique. Lee, [40] has found out the direction for robots to move by inputting the neural network, which was resolute by the interspace and presence of other robots. Fitness function as usual done the most important job, there it described how much group behaviors fit sufficiently with the target. Fitness has been validated the system through simulation, and it was found using a genetic algorithm. Pulasinghe, et al. [41] have figured out to control machines using spoken language commands using the fuzzy-neural network. Rusu, et al. [42] have experimented with the indoor condition by using

infrared and contact sensors to dodge collisions and follow its target. Vatankhah, et al. [43] have matured a Nero-Fuzzy system to reach the target and for behaviour control. Abu Baker, [44] has described how we can get a navigation system by shunning obstacles using the hybrid Neuro-Fuzzy algorithm. He performed many iterations to obtain optimum path by reducing the time and using a broad amount of if-then rule. Baturone, et al. [45] have provided navigation structure using neuro-fuzzy algorithm control system for the wheeled robot at low-cost. They found an efficient result for reaching the goal and dodging obstacles. Wheeled robot navigation on the basis of a neuro-fuzzy arrangement has been described by Li, [46]. A neural network is implemented in this study to find out the reference motion direction, and to control coordinate struggle among the multiple layers of aware action, he used a neural As shown in Figure (3)




Figure (3) Mobile robot using ANFIS

E. Particle Swarm Optimization (PSO)

Particle Swarm Optimization (PSO) is a computational method that optimizes a problem by iteratively trying to improve a candidate solution with regard to a given measure of quality. PSO optimizes a problem by having a population of candidate solutions, with dubbed particles, and moving these particles around in the search-space according to simple mathematical formulae over the particle's position and velocity. Each particle's movement is influenced by its local best known position and is also guided toward the best known positions in the search-space, which are updated as better positions are found by other particles. This is expected to move the swarm toward the best solutions. PSO is a metaheuristic as it makes few or no assumptions about the problem being optimized and can search very large spaces of candidate solutions. However, metaheuristics such as PSO do not guarantee an optimal solution is ever found. More

specifically, PSO does not use the gradient of the problem being optimized, which means PSO does not require that the optimization problem be differentiable as is required by classic optimization methods such as gradient descent and quasi-newton methods. PSO can therefore also be used on optimization problem that are partially irregular, noisy, change over time. Figure (4) show the structure of particle swarm optimization . The PSO technique is based on two essential equations:

$$\mathbf{v}_{i,m}^{(It+1)} = W * \mathbf{v}_{i,m}^{(It)} + c_1 * \text{rand} * (\mathbf{p}_{best_{i,m}} - \mathbf{x}_{i,m}^{(It)}) + c_2 * \text{rand} * (\mathbf{g}_{best_m} - \mathbf{x}_{i,m}^{(It)}) \dots \dots \dots (1)$$

$$\mathbf{x}_{i,m}^{(It+1)} = \mathbf{x}_{i,m}^{(It)} + \mathbf{v}_{i,m}^{(It)} \dots \dots \dots (2)$$

Where $i=1, 2, 3, \dots, n$



$m = 1, 2, 3, \dots, d$

n : Number of particles

d : Dimension

Iter. : Iterations pointer

$V_{i,m}^{(It)}$: Particle (no. i) velocity at iteration W : Inertia weight factor

c_1, c_2 : Acceleration constant

rand : Random number between 0-1

$x_{i,m}^{(It)}$: Particle i current position at iteration

P_{best_i} : Best previous position of the particle

g_{best_m} : Best particle among all the particles in the population .




Figure (4) structure of particle swarm optimization

F. Ant Colony Optimization (ACO)

Ant colony optimization algorithm is a newer method introduced by Marco Dorigo in 1992 [47]. The usage of ant algorithm for robot path planning problems is growing rapidly, and this algorithm is used as a powerful method for solving difficult compounds optimization problems. Ant colony optimization algorithm inspired from the behavior of real ants, when they are looking for grain. The usage of ant colony optimization algorithm for sample based on

MAKLINK graph has been suggested for finding robot's path [48]. Combining ant colony optimization algorithm with potential field results in routing in dynamic environments [49]. It was proved that ant colony optimization algorithm, by certain proposed equations, can find the optimal path in the networked map [50]. Yet studies show that ant colony optimization algorithm does not pay attention to the details for solving the path planning problems

Table (I) Summary Artificial Intelligence techniques

Authors	ne of different path planning techniques applied by authors	The results
Yogita Gigra S et. al. [51]	Artificial Intelligence in Robot Path Planni	Ant colony optimization is to be applied for robot –motion control such as navigation and obstacle avoidance in an efficient manner. From this, money can be saved and reliability can be increased by allowing them to adapt themselves according to the environment without further
Hachour Ouarda [52]	Neural Path planning For Mobile Robot	The simulation results illustrate the generalization and adaptation capabilities of neural networks. An interesting alternative for future work is the generalization of this approach by increasing the number of possible robot directions.
Indar Sugiarto et .al.[53]	Implementation of Fuzzy Logic in FPGA for Maze Tracking of Mobile Robot Based on Ultrasonic Distance Measurement	This paper deals with the real-time navigation of a mobile robot in a maze using fuzzy approach to endow the robot with the human being ability to reason and avoid collision. The robot equipped with only rudimentary sensing capabilities using ultrasonic transceiver
G. .A	Path Navigation for Robot Using Matlab	Path navigation using fuzzy logic controller and trajectory prediction table is to drive a robot in the dynamic



Andurkar .B et.al.[54]		environment to a target position, without collision
Anish Pandey et.al. [55]	Mobile robot navigation and obstacle avoidance technique: A review	The present article focuses on the study of the intelligent navigation techniques, which are capable of navigating a mobile robot autonomously in static as well as dynamic environments
Alaa A. Ahmed [56]	Path Planning of Mobile Robot Using Fuzzy-Potential Field Method	An approach proposed is introduced in this paper based on Combining the artificial potential field method with fuzzy logic controller to solve drawbacks of artificial potential field method such as local minima problems, make an effective motion planner and improve the quality of the trajectory of mobile robot.
Fatemeh Khosravi Purian et.al.[57]	Path Planning of Mobile Robots Via Fuzzy Logic In Unknown Dynamic Environments with Different Complexities	The results of proposed algorithm simulation suggest that navigation of a robot from an obtained path has optimality criteria, and the length of selected path had the lowest cost and is very close to the length of the shortest possible path.
Fatemeh Khosravi Purian et.al.[58]	Comparing the Performance of Genetic Algorithm and Ant Colony Optimization Algorithm for Mobile Robot Path Planning in the Dynamic Environments with Different Complexities	Obtained results from comparing the performance of these two algorithms by considering performance and adjusting the parameters and their advantages beside limitations, developed optimization algorithms for route moving robots.
Rame Likaj et .al. [59]	Path finding for a mobile robot using fuzzy and genetic Algorithms	shown the detection and avoidance of static and dynamic obstacles in a closed environment using a single camera to record the state of environment in which the mobile robot operates
an-ye Zhang [60]	Planning for the Mobile Robot: A Review	The survey shows GA (genetic algorithm), PSO (particle swarm optimization algorithm), APF (artificial potential field), and ACO (ant colony optimization algorithm) are the most used approaches to solve the path planning of mobile robot
Yang Xue et.al.[61]	Solving the Path Planning Problem in Mobile Robotics with the Multi-Objective Evolutionary Algorithm	The results show the advantages of the algorithm . In particular, different quality metrics are used to assess the obtained results. In the end, the research indicates that the proposed multi-objective evolutionary algorithm is a good choice for solving the path planning problem.
JIAN-HUA ZHANG et .al.[62]	Path Planning of Mobile Robot Based on Hybrid Multi-Objective Bare Bones Particle Swarm Optimization With Differential Evolution	The mathematical model for robot path planning is firstly devised as a tri-objective optimization with three indices, i.e., the path length, the smoothness degree of a path, and the safety degree of a path. Then, a hybrid multi-objective bare bones particle swarm optimization is developed to generate feasible paths by combining infeasible paths blocked by obstacles with feasible paths via improved mutation strategies of differential evolution
Ibraheem Kasim Ibraheem et .al.[63]	Multi-Objective Path Planning of an Autonomous Mobile Robot in Static and Dynamic Environments using a Hybrid PSO-MFB Optimization Algorithm	The algorithm was tested in static and dynamic environments different scenarios to minimize a multi-objective measure of path length and minimum angles. In the context of the simulation results, it can be concluded that the proposed hybrid PSO-MFB algorithm proved efficacy in avoiding static and dynamic obstacles in a simple manner and reduced time.
Guoliang Chen et.al.[64]	Mobile Robot Path Planning Using Ant Colony Algorithm and Improved Potential Field Method	The experiment results verify that the method has stronger stability and environmental adaptability.



III. RESULTS

Artificial Intelligence techniques as GA, Fuzzy, ANN, ANFIS, and PSO applied for path finding of mobile robot to move from a starting point to the target point in static environments. These techniques improvement performance to reach of target with shortest path length and shortest time Results of these techniques are very encouraging and they indicate important contributions to the areas of path finding of mobile robot as illustrated in Table(I). the number of papers that used artificial intelligence technique showed that the fuzzy logic and ANFIS techniques are the most used as illustrated Figure (5).




Figure (5). The number of papers retrieved by the data base of Engineering Village

IV. CONCLUSION

This article provides a literature survey of various techniques employed for path finding of mobile robot. According to literature survey, most of the researchers have used these soft computing techniques for mobile robot navigation and obstacle avoidance in only static environments. However, few researchers have considered dynamic environments for mobile robot navigation. From the literature survey, it is observed that many researchers have demonstrated only computer simulation results without implementations of physical robot. The path planning problem is an important research field of the mobile robot which has aroused the interest of many researchers both at home and abroad. good path finding technology of mobile robot can not only save a lot of time, but also reduce the wear and capital investment of mobile robot. different methodologies have been reviewed in this paper. The results shows fuzzy, ANFIS, GA, PSO, and ACO are the most used four approaches to solve the path finding of mobile robot.

Acknowledgements

Praise first of all; be to Allah for everything. And I would like to express my sincere thanks, to my supervisors Asst. Prof. Dr. Eyad I. Abbas and Dr. Sundus D. Hasan for their invaluable guidance

V. REFERENCE

1. Tang,B.W. Zhu Z.X.. and Luo , J.J. (2016) "Hybridizing Particle Swarm Optimization and Differential Evolution for the Mobile Robot Global Path Planning". *Int. J. Adv. Robot. Syst.* ,
2. Huang Z. , Sun Y. and Wang Y.L.,(2012) Mobile robot hybrid path planning in an obstacle-cluttered environmentbased on steering control and improved distance propagating". *Int. J. Innov. Comput. Inf. Control.*
3. Cruz C. , Ayala M.A. Ramirez V. Hernandez-Belmonte and U.H. (2015) "Mobile robot path planning using artificial bee colony and evolutionary programming" *Appl. Soft Comput.*
4. Huang P., Li, and Wang X.H., (2011)"A novel hybrid method for mobile robot path planning in unknown dynamic environment based on hybrid DSM model grid map". *J. Exp. Theor. Artif. Intell.* ,
5. Zadeh LA. (1975) "The Concept of a Linguistic Variable and its Application to Approximate Reasoning-I ", *ELSEVIER Information Science.*
6. Ren L. , Wang W. and Du Z. (2012)"A New Fuzzy Intelligent Obstacle Avoidance Control Strategy for Wheeled Mobile Robot", *IEEE International Conference on Mechatronics and Automation (ICMA)*,
7. Yousf,N. Rekik C. and Jallouli M., (2010) "Optimized Fuzzy Controller for Mobile Robot Navigation in a Cluttered Environment", *IEEE 7th International Multi-Conference on Systems, Signals and Devices*,
8. Yong Q. B, Shun-ming L and Wei-yan S,(2009)." A Fuzzy Behavior-Based Architecture for Mobile Robot Navigation in Unknown Environments", *IEEE International Conference on Artificial Intelligence and Computational Intelligence.*
9. Boubertakh H., Tadjine M. and Glorennec P. (2008) "A Simple Goal Seeking Navigation Method for a Mobile Robot using Human Sense, Fuzzy Logic and Reinforcement Learning" , *Journal of Automatic Control.*,
10. Muthu T. , Gloude T. R and Swaminathan S., (2012) " Fuzzy Logic Controller for Autonomous Navigation", *IEEE International Conference on Communications and Signal Processing (ICCSP)*,
11. El-Teleity SAL and Nossair ZB, (2011) " Fuzzy Logic Control of an Autonomous Mobile Robot". *IEEE 16th International*



- Conference on Methods and Models in Automation and Robotics (MMAR).
12. Raguraman SM., Tamilselvi D, and Shivakumar N. (2009) "Mobile Robot Navigation Using Fuzzy logic Controller", IEEE 16th International Conference on Control, Automation, Communication and Energy Conservation..
 13. Wu S, Li Q and Zhu E, (2008) "Fuzzy Controller of Pipeline Robot Navigation Optimized by Genetic Algorithm". IEEE International Conference on Control and Decision Conference (CCDC),
 14. Samsudin K. , Ahmad FA. and . Mashohor S, (2011)"A Highly Interpretable Fuzzy Rule Base using Ordinal Structure for Obstacle Avoidance of Mobile Robot", Applied Soft Computing,
 15. Beom HR. and Cho KS, (1995) "A Sensor–Based Navigation for a Mobile Robot using Fuzzy Logic and Reinforcement Learning", IEEE Transactions on Systems, Man, and Cybernetics,
 16. Pradhan SK. and Parhi DR, Panda AK. (2009) "Fuzzy Logic Techniques for Navigation of Several Mobile Robots". Applied Soft Computing,
 17. Liu Q., Lu YG and Xie CX. (2006)"Optimal Genetic Fuzzy Obstacle Avoidance Controller of Autonomous Mobile Robot Based on Ultrasonic Sensors", IEEE International Conference on Robotics and Bio mimetics,
 18. Farooq,U. Hasan KM. and Abbas G. (2011). "Comparative Analysis of Zero Order Sugeno and Mamdani Fuzzy Logic Controllers for Obstacle Avoidance Behavior in Mobile Robot Navigation". IEEE International Workshop on Current Trends in Information Technology (CTIT),
 19. Zou AM., Hou ZG and Fu SY .(2006)." Neural Networks for Mobile Robot Navigation" a Survey. Advances in Neural Networks.
 20. Xiao H., Liao L. and Zhou F. (2007)" Mobile Robot Path Planning Based on Q–ANN". IEEE International Conference on Automation and Logistics,
 21. Rai N., Rai,B. (2013) "Neural Network based Closed loop Speed Control of DC Motor using Arduino Uno". International Journal of Engineering Trends and Technology,
 22. Patino HD. and Carelli R. (2004)" Neural Network–Based Optimal Control for Autonomous Mobile Vehicle Navigation", IEEE International Symposium on Intelligent Control,
 23. Yang SX. and Meng M. (2001)"Neural Network Approaches to Dynamic Collision–Free Trajectory Generation". IEEE Transactions on Systems, Man, and Cybernetics Applications and Reviews,
 24. Nichols E. , Daid Mc. and Siddique LJ, N. (2013) Biologically Inspired SNN for Robot Control", IEEE Trans Cybern,
 25. Motlagh O. , Nakhaeinia D. and Tang SH. (2014) "Automatic Navigation of Mobile Robots in Unknown Environments" Neural Computing and Applications,
 26. Gavrilov AV. and Lee S.(2007)"An Architecture of Hybrid Neural Network Based Navigation System for Mobile Robot". IEEE Seventh International Conference on Intelligent Systems Design and Applications,
 27. Singh MK., Parhi DR. (2011) "Path Optimization of a Mobile Robot Using an Artificial Neural Network Controller", International Journal of Systems Science,
 28. Chin S. Yun, Ganapathy V. and Ooi L. Chong, (2010)" Improved Genetic Algorithms based Optimum Path Planning for Mobile Robot", IEEE, Conf. Control, Automation, Robotics and Vision Singapore, December,
 29. Hocaoglu C. and Sanderson C., (2001)"Planning multiple paths with evolutionary speciation" , IEEE Trans. on Evolutionary Computation,
 30. Hachour O. (2008), "path planning of Autonomous Mobile Robot" ,International Journal of Systems Applications, Engineering &Development,.
 31. Cohen B., Chitta,S. and Likhachev M., (2010) "Search-based planning for manipulation with motion primitives", In Proceedings of the IEEE International Conference on Robotics and Automation (ICRA),.
 32. Kwong W. and Xu Y. (2010), "A Generalized 3-D Path Planning Method for Robots Using Genetic Algorithm with an Adaptive Evolution Process", Proceedings of the 8th World Congress on Intelligent Control and Automation, Jinan, China, July 6-9.
 33. Hu Y. and Yang X. S, (2004) "A Knowledge Based Genetic Algorithm for Path Planning of Mobile Robot," Proceedings of the IEEE International Conferences on Robotics and Automation New Oriens,
 34. Kundu S. , Parhi R. and Deepak B. (2012) "Fuzzy-neuro based navigational strategy for mobile robot". International Journal of Scientific & Engineering Research,
 35. Pradhan SK., . Parhi DR and Panda AK. (2007) "Navigation of multiple mobile robots using rule - based - neuro - fuzzy technique",



- International Journal of Computational Intelligence,
36. Hui NB, V.Mahendar and Pratihari DK. (2006) "Time-optimal, collision-free navigation of a car-like mobile robot using neuro-fuzzy approaches". Fuzzy Sets and Systems,
37. Mathkour A. M, Ramdane H, and Alsulaiman H, M. (2015) "Comparative study of soft computing techniques for mobile robot navigation in an unknown environment". Computers in Human Behavior,
38. Li. W, Ma. C and Wahl FM.. (1997) "A neuro-fuzzy system architecture for behavior-based control of a mobile robot in unknown environments." Fuzzy Sets and Systems,
39. Hegazy OF., Fahmy AA. and Refaie OME. (2004) "An intelligent robot navigation system based on neuro-fuzzy control" In: Lecture Notes in Computer Science.
40. Lee M. (2003) "Evolution of behaviors in autonomous robot using artificial neural network and genetic algorithm". Inform Sci.
41. Pulasinghe.K, Watanabe K, Izumi K, Kiguchi K. "2004) Modular fuzzy-neuro controller driven by spoken language commands. IEEE Trans Syst Man Cybern B Cybern. ;34(1):293-302.
42. Rusu P., Petriu EM., Whalen TE. and A. Cornell, Spoelder HJW(2003). "Behavior-based neuro-fuzzy controller for mobile robot navigation". IEEE Transactions on Instrumentation and Measurement,
43. Vatankhah R., Etemadi S, Alasty A, and Vossoughi G.. (2012)"Adaptive critic-based neuro fuzzy controller in multi-agents": Distributed behavioral control and path tracking. Neuro computing,
44. Abu Baker A. "A novel mobile robot navigation system using neuro-fuzzy rule-based optimization technique" Res J Appl Sci Eng Technol
45. Baturone,I. Gersnoviez A., Barriga A. (2014) "Neuro-fuzzy techniques to optimize an FPGA embedded controller for robot navigation". Appl Soft Comput.,
46. Li. W. (1995) "Neuro-fuzzy systems for intelligent robot navigation and control under uncertainty", IEEE International Joint Conference on Fuzzy Systems,
47. Ganapathy,V. Tang Jia Jie T. and S Parasuraman(2010)," Improved Ant Colony Optimization for Robot Navigation", Proceeding of the 7th International Symposium on Mechatronics and its Applications (ISMA10), Sharjah, UAE, April 20-22,
48. Perez J. and Basterrechea J. (2007),"Comparison of Different Heuristic Optimization Methods for Near-Field Antenna Measurements", IEEE Transaction on Antennas and Propagation, vol.55, March.
49. Mei,H. Tian Y,Zu L, (2006)"A Hybrid Ant Colony Optimization Algorithm for Path Planning of Robots in Dynamic Environment," International Journal of Information Technology,
50. Tiejun G. L, Yuqing P. L, and Xiangdan H. P, (2005) "The ant algorithm for solving robot path planning problem," presented at Third International Conference on Information Technology and Applications, ICITA,
51. Gigras Y. and Gupta K. (2012)" Artificial Intelligence in Robot Path Planning " International Journal of Soft Computing and Engineering (IJSCE) ,
52. Ouarda H. (2011)" Neural Path planning For Mobile Robots" International journal of systems applications, engineering & developmentissue ,
53. Sugiarto I. , Lauw Lim Un Tung , and M. Ismail Rahman (2009) "Implementation of Fuzzy Logic in FPGA for Maze Tracking of a Mobile Robot Based on Ultrasonic Distance Measurement " Electrical Engineering Journal, March.
54. Andurkar A. G., Ms. Tankar R. and Suvarna Ms. Patil (2016)" Path Navigation for Robot Using Matlab" International Journal on Recent and Innovation Trends in Computing and Communication ,
55. Pandey,A. Pandey S. and DR. Parhi (2017) "Mobile robot navigation and obstacle avoidance techniques" : A review International Robotics & Automation Journal ,
56. Ahmed A. , Turki Y. Abdalla and Ali A. Abed (2015)"Path Planning of Mobile Robot Using Fuzzy-Potential Field Method" Iraq J. Electrical and Electronic Engineering ,
57. Khosravi P. F. and Sadeghian E. (2013)"Path Planning of Mobile Robots Via Fuzzy Logic in Unknown Dynamic Environments with Different Complexities" Journal of Basic and Applied Scientific Research ,
58. Khosravi Purian F., Farokhi F. and Sabbaghi Nadooshan R(2013). "Comparing the Performance of Genetic Algorithm and Ant Colony Optimization Algorithm for Mobile Robot Path Planning in the Dynamic Environments with Different Complexities" Journal of Academic and Applied Studies ,
59. Likaj R. Shala, A. and Bajrami X. (2017)" Path finding for a mobile robot using fuzzy and genetic algorithms" International Journal of Mechanical Engineering and Technology (IJMET) , August ,



60. Zhang H. , Wei-ming Lin and Chen Ai-xia (2018) "Path Planning for the Mobile Robot: A Review" Symmetry,
61. Xue Y. , and Jian- Qiao Sun (2018) " Solving the Path Planning Problem in Mobile Robotics with the Multi-Objective Evolutionary Algorithm " Appl. Sci.
62. Zhang J. , Zhang,Y. and Zhou Y. " Path Planning of Mobile Robot Based on Hybrid Multi-Objective Bare Bones Particle Swarm Optimization With Differential Evolution " IEEE, 2018
63. Kasim I. I. and Hassan F. Ajeil (2018) "Multi-Objective Path Planning of an Autonomous Mobile Robot in Static and Dynamic Environments using a Hybrid PSO-MFB Optimization Algorithm" IEEE,
64. Chen G. and Liu J(2019) " Mobile Robot Path Planning Using Ant Colony Algorithm and Improved Potential Field Method" Hindawi .Computational Intelligence and Neuroscience,

IJEAST

INTERNATIONAL JOURNAL
OF ENGINEERING APPLIED SCIENCE
AND TECHNOLOGY

ABOUT IJEAST

International Journal of Engineering Applied Science and Technology (IJEAST) is a peer-reviewed, open access journal that publishes high-quality research papers in the field of Engineering, Applied Science and Technology.

IJEAST aims to provide a platform for researchers, academicians, and professionals to share their innovative ideas, research findings, and practical experiences with the global scientific community.

FOCUS AREAS

- Engineering
- Applied Science
- Technology
- Innovation & Development
- Interdisciplinary Studies



PEER REVIEWED

All submissions are rigorously peer reviewed to ensure quality.



OPEN ACCESS

Free and unrestricted access to research for all.



GLOBAL REACH

Connecting researchers and professionals worldwide.



TIMELY PUBLICATION

We ensure a swift and efficient publication process.



For more information, visit our website
www.ijeast.com



INTERNATIONAL JOURNAL
OF ENGINEERING APPLIED SCIENCE
AND TECHNOLOGY

✉ editor@ijeast.com

🌐 www.ijeast.com

📍 India



2455-2143