



A THE HANDWRITTEN DIGITS RECOGNITION

Dr.C K Gomathy
Assistant Professor,
Department of CSE

SCSVMV Deemed to be University, TN, India

Kakamanu Jaya Sairam
UG Student

Department of CSE

SCSVMV Deemed to be University, TN, India

Illuru Yadhu Vamsi
UG Student

Department of CSE

SCSVMV Deemed to be University, TN, India

Abstract—Humans can see and visually smell the earth around them by using their eyes and smarts. Computer vision works on enabling computers to ascertain and reuse images within the same way that mortal vision does. Several algorithms developed within the area of computer vision to admit images. The thing of our work is going to be to make a model which will be ready to identify and determine the handwritten number from its image with better delicacy. We aim to finish this by using the generalities of Convolution Neural Network and MNIST dataset. This paper presents an approach to out-line handwritten number recognition supported different machine learning fashion. the most objective of this paper is to make sure effective and dependable approaches for recognition of handwritten integers.

Keywords: Convolutional Neutral Network (CNN), Deep learning, MNIST dataset.

I. INTRODUCTION:

Recognition is relating or distinguishing Recognition is relating or distinguishing a thing or an individual from the once guests or literacy. Also, Digit Recognition is nothing but feting or relating the integers in any document. Number recognition frame is just the working of a machine to organize itself or interpret the integers. Handwritten Number Recognition is that the capacity of a computer to interpret the manually written integers from colorful sources like dispatches, bank cheques, papers, filmland, also forth and in colorful situations for web grounded handwriting recognition on PC tablets, relating number plates of vehicles, handling bank cheques, integers entered in any forms etc.

A. MNIST Database:

The MNIST database (Modified National Institute of Norms and Technology database) may be a handwritten

integers dataset. we will use it for training colorful image processing systems. The database is also extensively used for training and testing within the field of machine literacy. It has training and testing exemplifications. Each image has fixed size. the film land are of size 28 * 28 pixels. it's a database for people that want to shoulder literacy ways and pattern recognition styles on real world data while spending minimum sweats on preprocessing and formatting. We 'll use this database in our trial.

B) Convolutional Neutral Network:

Convolutional neural networks are deep artificial neural networks. we will use it to classify images (e.g., name what they see), cluster them by similarity (print hunt) and perform visual perception within scenes. It are frequently used to identify faces, individualities, road signs, excrescences, platypuses and lots of other aspects of visual data. The convolutional sub caste is that the core structure block of a CNN. As a result, the network learns once they see some specific kind of point at some spatial position within the input. Also the activation charts are fed into a down slice sub caste, and like complications, this system is applied one patch at a time. CNN has also completely connected sub caste that classifies affair with one marker per knot.

II. LITERATURE SURVEY:

CNN is playing a pivotal part in numerous sectors like image processing. it's a strong impact on numerous fields. Indeed, in nano technologies like manufacturing semiconductors, CNN is employed for fault discovery and bracket. Handwritten number recognition has come a problem of interest among experimenters. There are an outsized number of papers and papers are being published recently about this subject. In exploration, it's shown that Deep Learning algorithm like multilayer CNN using Keras with The nano and Tensor Flow gives the veritably stylish



delicacy as compared with the foremost extensively used machine literacy algorithms like SVM, KNN & RFC. due to its loftiest delicacy, Convolutional Neural Network (CNN) is getting used on an outsized scale in image bracket, videotape analysis, etc. Numerous experimenters try to form sentiment recognition during a judgment. CNN is getting used in lingo processing and sentiment recognition by varying different parameters.

markers. This is frequently original if there might be an event of the testing images. Fig 2 System train and estimate process

III. METHODOLOGY:

Each exploration work needs some estimation, to live the delicacy and performance of handwritten integers, MNIST dataset is getting used for similar reasons. MNIST is that the most astronomically employed standard for handwritten number recognition. MNIST may be a huge and a typical database of handwritten integers. MNIST dataset has been generally used as a typical for testing bracket algorithms in handwritten number recognition fabrics.




Fig 1: System Architecture

The original step to be administered is to put the dataset, which may be effectively done through the Keras programming interface. the film land within the MNIST dataset are available in kind of a cluster comprising of 28x28 values constituting to a picture alongside their




Fig 2: System train and evaluate process

IV. WORKING MODEL AND RESULTS:

Now we'll produce our CNN model in Python data wisdom design. A CNN model generally consists of convolution and pooling layers. It works more for data that are represented as grid structures; this is frequently the explanation why CNN works well for image bracket problems. Max pooling may be a pooling operation that selects the utmost element from the region of the point chart covered by the sludge. We have added powerhouse sub caste in between to gauge back over fitting and thick sub caste for complication vaticination. Flatten is converting the word into a 1 dimensional array for inputting it to posterior subcaste. We use the mind dataset to trainer our CNN model and save the model in current working directory.



Sample Coding's and Outputs:



```

File Edit Selection View Go Run Terminal Help
runpy - Visual Studio Code
runpy X
C:\Users\jays> Downloads\handwritten digit recognizer > runpy .
1 from keras.models import load_model
2 from tkinter import *
3 import tkinter as tk
4 import win32gui
5 from PIL import ImageGrab, Image
6 import numpy as np
7
8 model = load_model('mnist.h5')
9
10 def predict_digit(img):
11     img = img.resize((28,28))
12     img = img.convert('L')
13     img = np.array(img)
14     img = img.reshape((1,28,28,1))
15     img = img/255.0
16     res = model.predict(img)[0]
17     return np.argmax(res), max(res)
18
19 class App(tk.Tk):
20     def __init__(self):
21         tk.Tk.__init__(self)
22
23         self.x = self.y = 0
24
25         self.canvas = tk.Canvas(self, width=300, height=300, bg="white", cursor="cross")
26         self.label = tk.Label(self, text="0", font=("Helvetica", 48))
27         self.classify_btn = tk.Button(self, text="Recognize", command=self.classify_handwriting)
28         self.button_clear = tk.Button(self, text="Clear", command=self.clear_all)
29
30         self.canvas.grid(row=0, column=0, pady=7, sticky=W, )
31         self.label.grid(row=0, column=1, pady=7, padx=2)
32         self.classify_btn.grid(row=1, column=0, pady=7, padx=2)
33         self.button_clear.grid(row=1, column=0, pady=7)
34
35         self.canvas.bind("<Button-1>", self.draw_lines)
36
37     def clear_all(self):
38         self.canvas.delete("all")
39
40     def classify_handwriting(self):

```



```

File Edit Selection View Go Run Terminal Help
runpy - Visual Studio Code
runpy X
C:\Users\jays> Downloads\handwritten digit recognizer > runpy .
20 set __main__ = __file__
21 tk.Tk.__init__(self)
22
23 self.x = self.y = 0
24
25 self.canvas = tk.Canvas(self, width=300, height=300, bg="white", cursor="cross")
26 self.label = tk.Label(self, text="0", font=("Helvetica", 48))
27 self.classify_btn = tk.Button(self, text="Recognize", command=self.classify_handwriting)
28 self.button_clear = tk.Button(self, text="Clear", command=self.clear_all)
29
30 self.canvas.grid(row=0, column=0, pady=7, sticky=W, )
31 self.label.grid(row=0, column=1, pady=7, padx=2)
32 self.classify_btn.grid(row=1, column=0, pady=7, padx=2)
33 self.button_clear.grid(row=1, column=0, pady=7)
34
35 self.canvas.bind("<Button-1>", self.draw_lines)
36
37     def clear_all(self):
38         self.canvas.delete("all")
39
40     def classify_handwriting(self):
41         hndw = self.canvas.winfo_x() # get the handle of the canvas
42         rect = win32gui.GetWindowRect(hndw) # get the coordinate of the canvas
43         a,b,c,d = rect
44         rect=(a+4,b+4,c-4,d-4)
45         im = ImageGrab.grab(rect)
46
47         digit, acc = predict_digit(im)
48         self.label.configure(text= str(digit)+', '+ str(int(acc*100)+'%')
49
50     def draw_lines(self, event):
51         self.x = event.x
52         self.y = event.y
53         r=8
54         self.canvas.create_oval(self.x-r, self.y-r, self.x+r, self.y+r, fill="black")
55
56 app = App()
57 mainloop()
58

```

V. CONCLUSION:

In this paper, the Handwritten Number Recognition using Deep literacy system has been enforced. Delicacy can alter because it depends on the splitting of guiding and testing data, and this will further be bettered if the quantum of guiding and testing data is handed. There's always an occasion to enhance delicacy if the confines of knowledge increases. Every classifier has its own delicacy and time consumption. It'll also include the very fact that if the installation of CPU changes to GPU, the classifier can perform with better delicacy and smaller time and better results are frequently observed.



VI. REFERENCES

- [1] M. Wu and Z. Zhang, Handwritten Digit Classification using the MNIST Dataset, 2010.
- [2] A. Dutta and A. Dutta, Handwritten digit recognition using deep learning, International Journal of Advanced Research in Computer Engineering & Technology (IJARCET), vol. 6, no. 7, July 2017.
- [3] Al Maadeed, Somaya, and Abdelaali Hassaine, Automatic prediction of age, gender, and nationality in offline handwriting. EURASIP Journal on Image and Video Processing, no. 1 2014.
- [4] Gaurav Jain, Jason Ko, Handwritten Digits Recognition, Project Report, University of Toronto, 11/21/2008.
- [5] C.K.Gomathy.(2010),"Cloud Computing: Business Management for Effective Service Oriented Architecture" International Journal of Power Control Signal and Computation (IJPCSC), Volume 1, Issue IV, Oct - Dec 2010, P.No:22-27, ISSN: 0976-268X .
- [6]B.Sumanth Immanuvel,Dr.C.K.Gomathy,Article:A machine Learning Approach to mark Attendance using Haarcascade Classifier, International journal for research and Development in Technology,Volume-11,Issue-3,March 2019.(ISSN No:2349-3585)
- [7] Dr.C K Gomathy, Article: An Effective Innovation Technology In Enhancing Teaching And Learning Of Knowledge Using Ict Methods, International Journal Of Contemporary Research In Computer Science And Technology (Ijcrct) E-Issn: 2395-5325 Volume3, Issue 4,P.No-10-13, April '2017
- [8] Dr.C K Gomathy, Article: A Semantic Quality of Web Service Information Retrieval Techniques Using Bin Rank, International Journal of Scientific Research in Computer Science Engineering and Information Technology (IJSRCSEIT) Volume 3 | Issue 1 | ISSN : 2456-3307, P.No:1563-1578, February-2018
- [9] Dr.C K Gomathy, Article: A Web Based Platform Comparison by an Exploratory Experiment Searching For Emergent Platform Properties, IAETSD Journal For Advanced Research In Applied Sciences, Volume 5, Issue 3, P.No-213-220, ISSN NO: 2394-8442,Mar/2018
- [10] Dr.C K Gomathy, Article: A Study on the Effect of Digital Literacy and information Management, IAETSD Journal For Advanced Research In Applied Sciences, Volume 7 Issue 3, P.No-51-57, ISSN NO: 2279-543X,Mar/2018
- [11] Dr.C.K.Gomathy, A.V.Sripadh Kausthub, K.Banuprakash, Article: An Effect of Big Data Analytics on Enhancing Automated Aviation , International Journal Of Contemporary Research In Computer Science And Technology (Ijcrct) E-Issn: 2395-5325 Volume 4, Issue 3,P.No-1-7.March -2018
- [12] Dr.C K Gomathy, Article: A Semantic Quality of Web Service Information Retrieval Techniques Using Bin Rank A Cloud Monitoring Framework Perform in Web Services, International Journal of Scientific Research in Computer Science Engineering and Information Technology IJSRCSEIT | Volume 3 | Issue 5 | ISSN : 2456-3307,May-2018
- [13] Dr.C K Gomathy, Article: Supply chain-Impact of importance and Technology in Software Release Management, International Journal of Scientific Research in Computer Science Engineering and Information Technology (IJSRCSEIT) Volume 3 | Issue 6 | ISSN : 2456-3307, P.No:1-4, July-2018
- [14] Dr.C K Gomathy, Article: A Scheme of ADHOC Communication using Mobile Device Networks, International Journal of Emerging technologies and Innovative Research (JETIR) Volume 5 | Issue 11 | ISSN : 2349-5162, P.No:320-326, Nov-2018
- [15] Dr.C K Gomathy, Article: A Study on the recent Advancements in Online Surveying , International Journal of Emerging technologies and Innovative Research (JETIR) Volume 5 | Issue 11 | ISSN : 2349-5162, P.No:327-331, Nov-2018.
- [16] C K Gomathy, Student Location Tracking Inside College Infrastructure, International Research Journal of Engineering and Technology (IRJET) e-ISSN: 2395-0056 Volume: 07 Issue: 06 | June 2020.